






POWER21SP						
NO	NAME					
1	Sewage tank parts					
2	Clean water tank parts					
3	Brush plate parts					
4	Chassis parts					
5	Squeegee parts					
						
1.Sewage tank parts						
						
2.Clean water tank parts						
						

NO	Item NO	Name	Specification	QTY
1	X09X0-09181	Hexagonal round head self-tapping screw	M5*20 (non-standard)	2
2	B5310-06018	Enlarged flat washer	M6*18	2
3	X28X0-08001	Suction port assembly	Black (6 accessories)	1
4	X28X0-03071	Hook		1
5	X25X0-23011	Sewage tank		1
6	X28X0-03051	Mop clamp		1
7	X28X0-03041	Adapter		2
8	X98A0-09231	Hose clamp	Crosshead 33-57	1
9	X25X0-29031	Drain pipe	Total length of stretch tube 750, KS0005 to KS0003	1
10	X13A0-09041	Bracket gasket	Black 95*50*3mm	1
11	X09X0-24021	Sewage basket	PPT20 black	1
12	X09X0-24031	Sewage basket cover	PPT20 black	1
13	X25X0-24001	Sewage tank cover	POWER21SP for black	1
NO	Item NO	Name	Specification	QTY
1	X25X0-46011	Suction port rubber	POWER21SP	1
2	X25X0-44001	Suction motor cover - outsourcing	POWER21SP	1
3	X25X0-46021	Suction motor upper seal	POWER21SP	1
4	X25X1-02011	Suction motor	Xingdesheng 24V250W	1
5	X25X0-46001	Suction motor middle seal	POWER21SP	1
6	X25X0-46031	Suction motor lower seal	POWER21SP	1
7	X01B0-08761	Sound insulation strip	Diameter 1mm	1
8	X25X0-44001	Suction motor cover - outsourcing	POWER21SP	1
9	X09X0-09051	L-shaped plastic joint	8mm-8mm	2
10	X01B0-08331	Water level pipe	Transparent hose inner diameter ϕ8	1
11	X09X0-26011	Conical waterproof rubber sleeve	For M52	2
12	X03Z0-29001	Water inlet cover - outsourcing	PPT20, Dragon Eye Fish Red	1
13	X25X0-22001	Water inlet pipe compression spring	POWER21SP	1
14	X25X0-22021	Suction pipe guide frame 1	POWER21SP	1
15	X09X0-09181	Hexagonal round head self-tapping	M5*20 (non-standard)	3
16	B5310-05016	Enlarged flat washer	M5*ϕ16*1mm	3
17	X25X0-22031	Suction pipe guide frame 2	POWER21SP	1
18	X09X0-26031	Drain cover seal	M52	1
19	X26X0-24011	Drain cover - outsourcing	M52 Dragon Eye Fish Red PT1645C	1
20	X25X0-23001	Clean water tank	MD50 Orange Rhino Light Gray	1



21	X09X0-26021	Suction port rubber	For M52	1
22	X25X0-24031	Electrical outer sealing plate -	POWER21SP	1
23	X49A1-04011	Controller Lynch DC1A	M60 Self-propelled	1
24	X25X0-22041	Wire harness baffle (sheet metal)	POWER21SP	1
25	X13A1-05111	Relay two-in-one control board	QJJD2&1 Jike	1
26	X25X0-24031	Electrical outer cover - outsourced	POWER21SP	1
27	X13A1-06061	Red plug	Anderson 50A	1
28	B0930-04020	Cross slot round head screw	4*20	2
29	X25X0-29041	Pull strap	15*1*565mm	1
30	X09X0-09181	Hexagon socket round head self-tapping	M5*20 (non-standard)	7
31	B0730-65016	Hexagon socket cylindrical head	D6.5*16	1
32	X28X0-03061	Pulling handle	M50 fine engineering	1
33	B5410-00012	Shaft retaining spring	Φ 12	1
34	X25X0-22011	Pedal lever limit sheet metal (sheet	POWER21SP	1
35	X25X0-24021	Pedal lever limit plate	POWER21SP	1
36	X25X0-24081	Steering wheel lower cover	POWER21SP	1
37	X49X1-05001	Multi-speed switch	DY2 3A 250VAC (low price)	1
38	X31A1-05001	Green switch	KCD4 24V black background green button	1
39	X09X0-04002	Start/stop knob	Black, injection molding (internal hole mold is 6.5)	1
40	X25X0-24101	Steering wheel upper cover	See drawing (driver model)	1
41	B1130-04016	Hexagon socket countersunk screw M4*16		2
42	X13A1-05011	Electricity meter	Digital HMD-EB120-W	1
43	X09X0-09181	Hexagon socket round head self-tapping	M5*20 (non-standard)	4
44	X25X1-05001	Micro switch	G5T16 button	2
45	X25X0-24091	Lever	POWER21SP	1
46	X09X0-09181	Hexagon socket round head self-tapping	M5*20 (non-standard)	2
47	X25X0-09081	Plum flat head self-tapping screw	M5*15	8
48	X25X0-24061	Speed control roller		1
49	X15X1-04012	Power lock	19 metal	1


3.Brush plate parts



NO	Item NO	Name	Specification	QTY
1	X09X0-09181	Hexagon socket round head self-tapping	M5*20 (non-standard)	10
2	X13A1-02021	Brush motor	Ji Ke keyway type 24V/550W	1
3	B0930-04010	Cross slot pan head screw	M4*10	7
4	B5310-08030	Enlarged flat washer	M8*30	1
5	B5050-00008	Spring washer	M8	1
6	B0330-08025	External hexagon bolt	M8*25/304	1
7	X25X0-39021	Star bolt	M12*60mm (needs to be finely processed)	1
8	X25X0-39031	Pressure adjustment anti-loose spring	Wire diameter*outer diameter*length=2*19*40mm, nine	1
9	X25X0-35011	Anti-collision wheel pressure plate	POWER21SP	1
10	B5310-06018	Enlarged flat washer	M6*18	1
11	X09X0-34021	Brush anti-collision wheel	PPT20 black	1
12	B5310-06018	Enlarged flat washer	M6*18	1
13	X25X0-39061	Water retaining strip	1305mm	1
14	B4223-00006	Anti-loose nut	M6	1
15	X25X0-34031	Brush cover	POWER21SP	1
16	B5410-00012	Shaft retaining spring	Φ 12	2
17	X25X0-39051	Boost wheel limit bushing	Inner 12 outer 17 length 6.3	1
18	X25X0-32031	Boost wheel shaft	POWER21SP	3
19	X25X0-35021	Pressure adjustment mechanism	POWER21SP	1
20	X25X0-39001	Boost wheel	POWER21SP	2
21	T02T0-09491	6201 bearing	DT1	4
22	X25X0-32031	Boost wheel shaft	POWER21SP	2
23	X25X0-30201	Brush welding	POWER21SP	1
24	X25X0-39011	Saddle card	Inner height about 11mm, hole spacing about 30mm	2
25	X25X0-32001	Brush removal rod	POWER21SP	1
26	X25X0-34081	Brush	20 inches Orange	1
27	B1330-06020	Cross slot countersunk self-tapping	M6*20	6
28	X25X0-34071	Flange	Suspension flange	1
29	X4A50-49031	Brush assembly (including brush buckle)	For after-sales use, (X25X0-34081+X25X0-34071+B1330-06020*6)	1
30	B1960-06020	Hexagon socket combination Screws	M6*20/304	7
31	X25X0-35041	Flange	Suspension flange	1
32	X25X0-32011	Removal rod tension spring fixing	AC-double ring inner diameter 9mm	1
33	X09X0-09181	Hexagon socket head self-tapping screw	M5*20 (non-standard)	4
34	X25X0-32021	Counterweight	POWER21SP	1
35	B4223-00012	Lock nut	M12	1
36	X25X0-35031	Rotating cam	POWER21SP	1
37	B0330-10025	Hexagon socket bolt	M10*25	2
38	B5050-00010	Spring washer	M10	2
39	B5210-00010	Flat washer	M10	2
40	B0330-08030	Hexagon socket bolt	M8*30	2
41	B4223-00008	Lock nut	M8	2
42	X25X0-09101	Brush plate pressure spring	2.0 *15*80	2
43	X6A30-62031	Copper bushing	WD85	2
44	B5310-08024	Enlarged flat washer	M8*24	4
45	X25X0-35001	Brush plate lifting bracket	POWER21SP	1
46	X25X0-34001	Brush plate lifting bracket pressure	POWER21SP	2
47	X25X0-32051	Pedal rod (sheet metal)	POWER21SP	1
48	B0530-08020	Hexagon socket head screw	M8*20/304	1
49	X25X0-34051	Pedal	POWER21SP	1
50	B4223-00008	Lock nut	M8	1
51	X25X0-34021	Brush plate cover connecting bracket -	POWER21SP	1
52	X25X0-09091	Plum flat head self-tapping screw	M5*30	2
53	X25X0-34041	Connecting bracket pressure piece	POWER21SP	2
54	X25X0-36001	Anti-collision column	POWER21SP	2
55	X09X0-09181	Hexagon socket head self-tapping screw	M5*20 (non-standard)	2
56	X25X0-34011	Brush plate motor cover	POWER21SP	1
57	X25X0-39041	Removal rod return spring	Wire diameter*inner diameter*length=1.6*20*80mm	1


4.Chassis parts

NO	Item NO	Name	Specification	QTY
1	X25X0-29061	I-shaped handle	Black copper thread M5*52	1



2	X25X0-24051	Special-shaped large gasket	POWER21SP	1
3	X25X0-29051	Water level adjustment spring	1.0*15*35	1
4	B5310-08020	Enlarged flat washer	Φ 8*20mm	1
5	X25X0-25001	Flow adjustment component 2	POWER21SP	1
6	X25X0-22081	Flow adjustment rod	POWER21SP	1
7	X28X0-03031	Water valve handle	M50 fine engineering	1
8	X90Z0-09011	Ball valve with seat	4 points double inner thread	1
9	X28X0-29011	Internal and external thread connector	G1/2 outer thread to G1/2 outer thread	1
10	X25X0-29091	Plastic elbow	G1/2 outer thread to Φ10	1
11	X01B0-08391	Wire hose	Inner diameter Φ10	1
12	X25X0-29081	Plastic pagoda connector	G1/2 outer thread to P10	1
13	X09X0-09171	Hexagonal round head self-tapping screw	M8X35 (non-standard)	9
14	X25X0-19021	Drive wheel	200*50	2
15	X25X0-14031	Drive axle pressure plate		2
16	X25X0-19012	Universal wheel	Ruixiao 4-inch universal	2
17	6204RS-00001	Deep groove ball bearing	6204-2RS	4
18	X25X1-02001	Drive axle	24V/90W XMD50 custom model	1
19	X25X0-45021	Tail swing structure 3	POWER21SP	1
20	X25X0-45011	Tail swing structure 2	POWER21SP	1
21	X25X0-19001	Hydraulic rod	Diameter 15-6, M8 ball heads on both sides, ball head spacing 200mm	1
22	X25X0-45001	Tail swing structure 1	POWER21SP	1
23	X25X0-49011	Spring	Wire diameter*outer diameter*length=2*19*40mm, six turns in total	1
24	X08X0-22111	Star bolt	M8*60	1
25	X25X0-14001	Chassis	POWER21SP	1
26		Battery		2
27	X25X0-29111	Water outlet quick plug	11.8-ID10 elbow	1
28	X25X0-24011	Drain plug	G1/2 external thread, with filter	1
29	X28X0-19051	E-type retaining ring	D5	2
30	X25X0-22071	Spindle	POWER21SP	1
31	X25X0-24041	Flow adjustment component	POWER21SP	1
32	X31A1-05061	Solenoid valve	Red DC 24V 0-0.02MPa	1

5. Squeegee parts



NO	Item NO	Name	Specification	QTY
1	X13A0-49071	Cross nut	M10 through hole (black)	2
2	X13A0-02031	Squeegee head wheel fixing plate		2
3	X13A0-49081	Cross screw	M8*45 (black)	1
4	X13A0-49021	Rubber strip	Red Small and exquisite 865mm	1
5	X13A0-39011	Brush plate anti-collision wheel	Black Φ100*27mm Inner hole Φ12.5mm	2
6	X13A0-49011	Squeegee head wheel	Universal wheel Φ50*20mm	2
7	X31A0-09141	Cross knob	Black M8 through hole	4
8	X13A0-49061	Suction strip pressure strip	820*30*1mm	1
9	X25X0-29011	Suction pipe	Total length of stretch tube 840, KS0006 to KS0013-38-38	1
10	X4A50-45021	A set of silver aluminum squeegees	Assembly	1
11	B4523-00008	Cap nut	M8	2
12	B5310-08020	Enlarged flat washer	Φ 8*20mm	4
13	B5310-00014	Bushing	12*9	2
14	B0330-08025	External hexagonal bolt	M8*25/304	2
15	B0330-08065	External hexagonal bolt	M8*65	4
16	B4123-00008	Hexagonal nut	M8	6